

For Non-Armored Cable


CAGE 0 UE11

Technical Description

- Ex-d Cable Glands for non-armored cable - Cost Saving Option!
- Approvals & Certifications - ATEX/IECEX, CE, Gost and German Lloyd!
- NEMA 4x & 6 (IP 67 & 68) - Liquid Tight - Submersible to 300 ft!
- IP 69K rated - Ideal in splash or hose down applications!
- Form Seal allows 150 PSIG (10 BAR) rating - Highest in Industry!
- RoHS & Deca BDE - Environmentally Compliant to the newest standards!
- Large Cable Range: 0.08" - 1.26" (2 - 32 mm)
- Non-Corrosive: Resistant to salt water, weak acids, weak alkalis, alcohol, esters, ketones, ether, gasoline, mineral, animal & vegetable oil

Ref. Standards
 EN 60079-0
 EN 60079-1
 EN 60079-7
 EN 60079-31

Your One Stop Solution For All Cable & Wire Accessories!



Cable Protection

Overlapping clamping splines apply a concentric force to the cable.

Unique Product

The high performance long Viton® seal guarantees NEMA 4x & 6 (IP 68 / IP 69K) at 150 PSIG (10 BAR).


Liquid Tight

Machined O-Ring Groove: All of our Metal Fittings come with an O-Ring, resulting in a liquid tight seal between fitting and enclosure.

Time Saving Installation

Simply push the cable through Cable Gland
 Tighten Dome Nut...Done!

No disassembly of the cable glands required



Ex-d Hex Plugs
 Available in PG and Metric sizes.

Viton® is a federally registered trademark of DuPont Dow Elastomer.

Ex-d EXIOS Cable Glands
 Ex-d Nickel Plated Brass & Stainless Steel Glands
 Nylon Glands
 Ex-e
 Ex-e Multi-Hole & Romex Glands
 Ex-e Nickel Plated Brass & Stainless Steel Glands
 Ex-e EMI / RFI Nickel Plated Brass Glands
 Ex-e Conduit & Fitting Systems
 Ex-e / Ex-d Accessories
 Technical Information