



New Product Announcements

EXIOS - Cable Glands for Hazardous Areas

EXIOS has been certified as per the latest IECEx and ATEX standards. The requirements in regards to strain relief and density have been increased dramatically through a more demanding aging test. The new EXIOS meets those requirements. Through the special "Interlocking Armor Cone" it is ensured that, during the assembly, no torsion is transferred onto the cable.

Features & Benefits:

- Dual seal on the inner and outer jacket of the cable
- Armor acceptance range from 0 0.1" (0 2.5 mm)
- Zero torsion on cable conductors and armor
- · Fast and easy pre-assembly by hand by use of profile material with maximum grip

Approvals and Ratings:

- According to the latest IECEx and ATEX standards
- · Gas groups IIA, IIB and IIC Apparatus Group III
- EN 60529

• Zones: 1, 2, 20, 21 and 22

Maximum clamping range

- Ex-d / Ex-e
- · Equipment protection level GbDa

Innovative Interlocking Armor Cone

Halogen and Phosphorous-Free

• LM2 Ex de LMb IIC Gb / Ex ta IIIC Da

EXIOS Technical Information

- Material: Brass, Nickel Plated Brass
- **Temperature Range**: -76°F 221°F (-60°C 105°C)
- Clamping Insert: PA 6 Fire Protection Class V-2 UL94
- Seals / O-Rings: Silicone, VQM
- Protection: IP 66/67/68 (NEMA 4/6) 5 bar
- · For use with Metallic Armor or Shield

Contact Sealcon for further information or visit our website.