

For Non-Armored Cable

UL/UR E103997
CSA 104031
CAGE 0 UE11

Technical Description

Ref. Standards
EN 60079-0
EN 60079-7

- Ex-e Cable Glands for non-armored cable - Cost Saving Option!
- Approvals & Certifications - ATEX/IECEX, UL/UR, CE, CSA, Gost and German Lloyd!
- NEMA 4x & 6 (IP 67 & 68) - Liquid Tight - Submersible to 300 ft!
- IP 69K rated - Ideal in splash or hose down applications!
- Patented form seal allows 150 PSIG (10 BAR) rating - Highest in Industry!
- V0 flame rating according to UL 94 – Halogen & Phosphorous Free – non toxic!
- RoHS & Deca BDE - Environmentally Compliant to the newest standards!
- Large selection in Nickel Plated Brass and Stainless Steel - Cable Range from .08" (2 mm) to 1.73" (44 mm)
- Non-Corrosive - Resistant to salt water, weak acids, weak alkalis, alcohol, esters, ketones, ether, gasoline, mineral, animal & vegetable oil.

Your One Stop Solution For All Cable & Wire Accessories!



Unique Product

The patented recess form seal guarantees NEMA 4x & 6 (IP 68 / IP 69K) at 150 PSIG (10 BAR).

Pull-out Resistance & Cable Protection

Overlapping clamping splines apply a concentric force, thereby preventing the form seal from being pulled out of the gland. This ensures pull-out protection without damage to the cable.

Liquid Tight

Machined O-Ring Groove: All of our Ex Cable Glands come with an O-Ring, resulting in a liquid tight seal between cable gland and enclosure.

Time Saving Installation

Simply push the cable through Cable Glands Tighten Dome Nut - Done!
No disassembly of the cable glands required!



Ex-d EXIOS Cable Glands
Ex-d Nickel Plated Brass & Stainless Steel Glands
Nylon Glands
Ex-e Multi-Hole & Romex Glands
Ex-e Nickel Plated Brass & Stainless Steel Glands
Ex-e EMI / RFI Nickel Plated Brass Glands
Ex-e Conduit & Fitting Systems
Ex-e / Ex-d Accessories
Technical Information